

TONGUE & LIP-TIE BIBLIOGRAPHY

Tongue-Tie 2002-2012

- Berry, J., Griffiths, M., & Westcott, C. (2012). A double-blind, randomized, controlled trial of tongue-tie division and its immediate effect on breastfeeding. *Breastfeed Med*, 7, 189-193. doi: 10.1089/bfm.2011.0030
- Block, S. L. (2012). Ankyloglossia: when frenectomy is the right choice. *Pediatric annals*, 41(1), 14-16.
- Edmunds, J., Hazelbaker, A., Murphy, J. G., & Philipp, B. L. (2012). Tongue-tie. *J Hum Lact*, 28(1), 14-17.
- Elanchezhiyan, S., Renukadevi, R., & Vennila, K. (2012). Comparison of diode laser-assisted surgery and conventional surgery in the management of hereditary ankyloglossia in siblings: a case report with scientific review. *Lasers Med Sci*.
- Glynn, R. W., Colreavy, M., Rowley, H., & Gendy, S. (2012). Division of tongue tie: Review of practice through a tertiary paediatric otorhinolaryngology service. *Int J Pediatr Otorhinolaryngol*. doi: 10.1016/j.ijporl.2012.06.017
- Han, S. H., Kim, M. C., Choi, Y. S., Lim, J. S., & Han, K. T. (2012). A study on the genetic inheritance of ankyloglossia based on pedigree analysis. *Arch Plast Surg*, 39(4), 329-332. doi: 10.5999/aps.2012.39.4.329
- Jackson, R. (2012). Improving breastfeeding outcomes: the impact of tongue-tie. [Research Support, Non-U.S. Gov't]. *Community Pract*, 85(6), 42-44.
- Klockars, T., Kyttanen, S., & Ellonen, P. (2012). TBX22 and Tongue-Tie. *Cleft Palate Craniofac J*, 49(3), 378-379
- Kumar, M., & Kalke, E. (2012). Tongue-tie, breastfeeding difficulties and the role of Frenotomy. *Acta Paediatr*.
- Liu, H. X., Grosse, A. S., Iwatsuki, K., Mishina, Y., Gumucio, D. L., & Mistretta, C. M. (2012). Separate and distinctive roles for Wnt5a in tongue, lingual tissue and taste papilla development.. *Dev Biol*, 361(1), 39-56.
- Opara, P. I., Gabriel-Job, N., & Opara, K. O. (2012). Neonates presenting with severe complications of frenotomy: a case series. *J Med Case Rep*, 6(1), 77. doi: 10.1186/1752-1947-6-77
- Steehler, M. W., Steehler, M. K., & Harley, E. H. (2012). A retrospective review of frenotomy in neonates and infants with feeding difficulties. *Int J Pediatr Otorhinolaryngol*. doi: 10.1016/j.ijporl.2012.05.009
- Suter, V. (2012). Frenotomy improves breastfeeding immediately in neonates with ankyloglossia. [Comment]. *J Pediatr*, 160(1), 176-177. doi: 10.1016/j.jpeds.2011.11.018
- Argiris, K., Vasani, S., Wong, G., Stimpson, P., Gunning, E., & Caulfield, H. (2011). Audit of tongue-tie division in neonates with breastfeeding difficulties: how we do it. *Clin Otolaryngol*, 36(3), 256-260.
- Buryk, M., Bloom, D., & Shope, T. (2011). Efficacy of Neonatal Release of Ankyloglossia: A Randomized Trial. *Pediatrics*, 128(2), 280-288.
- Edmunds, J., Miles, S. C., & Fulbrook, P. (2011). Tongue-tie and breastfeeding: a review of the literature. [Review]. *Breastfeed Rev*, 19(1), 19-26.
- Dollberg, S., & Botzer, E. (2011). Neonatal tongue-tie: myths and science]. *Harefuah*, 150(1), 46.
- Dollberg, S., Manor, Y., Makai, E., & Botzer, E. (2011). Evaluation of speech intelligibility in children with tongue-tie. *Acta Paediatr*, 100(9), e125-127. doi: 10.1111/j.1651-2227.2011.02265.x
- Forlenza, G. P., Paradise Black, N. M., McNamara, E. G., & Sullivan, S. E. (2010). Ankyloglossia, Exclusive Breastfeeding, and Failure to Thrive. *Pediatrics*.
- Hazelbaker, A. (2010). *Tongue-tie morphogenesis, impact, assessment and treatment*. Columbus, OH: Aidan & Eva Pr.
- Hong, P., Lago, D., Segeant, J., Pellman, L., Magit, A. E., & Pransky, S. M. (2010). Defining ankyloglossia: a case series of anterior and posterior tongue ties. *International journal of pediatric otorhinolaryngology*, 74(9), 1003-6.
- Jang, S. J., Cha, B. K., Ngan, P., Choi, D. S., Lee, S. K., & Jang, I. (2011). Relationship between the lingual frenulum and craniofacial morphology in adults. *Am J Orthod Dentofacial Orthop*, 139(4 Suppl), e361-367.
- Kaewkhampa, A., Jotikasthira, D., Malaivijitnond, S., & Kantaputra, P. (2011). TBX22Mutation Associated with Cleft Lip/Palate, Hypodontia, and Limb Anomaly. *Cleft Palate Craniofac J*. doi: 10.1597/10-208
- Knox, I. (2010). Tongue Tie and Frenotomy in the Breastfeeding Newborn. *Neoreviews*, 11(9), e513-519.
- Merdad, H., & Mascarenhas, A. K. (2010). Ankyloglossia may cause breastfeeding, tongue mobility, and speech difficulties, with inconclusive results on treatment choices. [Comment]. *The journal of evidence-based dental practice*, 10(3), 152-153.
- Miranda, B. H., & Milroy, C. J. (2010). A quick snip - A study of the impact of outpatient tongue tie release on neonatal growth and breastfeeding. [Case Reports]. *Journal of plastic, reconstructive & aesthetic surgery : JPRAS*, 63(9), e683-685.

- Manfro, A. R., Manfro, R., & Bortoluzzi, M. C. (2010). Surgical treatment of ankyloglossia in babies--case report. [Case Reports]. *International journal of oral and maxillofacial surgery*, 39(11), 1130-1132.
- Reamy, B. V., Derby, R., & Bunt, C. W. (2010). Common tongue conditions in primary care. *Am Fam Physician*, 81(5), 627-34.
- Lee, H. J., Park, H. S., Park, B. S., Choi, J. W., & Koo, S. K. (2010). The Improvement of Tongue Mobility and Articulation after Frenotomy in Patient with Ankyloglossia. *Korean Journal of Otorhinolaryngology-Head and Neck Surgery*, 53(8), 491-496.
- Treating tongue tie could help more babies breastfeed. (2010). *PHYSorg.com*. Retrieved from www.physorg.com/news197128983.html
- Cho, A., Kelsberg, G., & Safranek, S. (2010). Clinical Inquiries: When should you treat tongue-tie in a newborn? *The Journal of family practice*, 59(12), 712a.
- Geddes, D. T., Kent, J. C., McClellan, H. L., Garbin, C. P., Chadwick, L. M., & Hartmann, P. E. (2009). Sucking characteristics of successfully breastfeeding infants with ankyloglossia: a case series. *Acta Paediatr*.
- Chu, M. W., & Bloom, D. C. (2009). Posterior ankyloglossia: a case report. *Int J Pediatr Otorhinolaryngol*, 73(6), 881-3.
- Genna, C. W., & Coryllos, E. V. (2009). Breastfeeding and tongue-tie. *J Hum Lact*, 25(1), 111-112.
- Obladen, M. (2009). Much Ado about Nothing: Two Millenia of Controversy on Tongue-Tie. *Neonatology*, 97(2), 83-9.
- Aras, M. H., Goregen, M., Gungormus, M., & Akgul, H. M. (2009). Comparison of Diode Laser and Er:YAG Lasers in the Treatment of Ankyloglossia. *Photomed Laser Surg*.
- Suter, V. G., & Bornstein, M. M. (2009). Ankyloglossia may Cause Breastfeeding, Tongue Mobility, and Speech Difficulties, with Inconclusive Results on Treatment Choices. *Journal Periodontol*, 80(8), 1204-1219.
- Suter, V. G., & Bornstein, M. M. (2009). Ankyloglossia: facts and myths in diagnosis and treatment. *J Periodontol*, 80(8), 1204-1219.
- Klockars, T., & Pitkaranta, A. (2009). Inheritance of ankyloglossia (tongue-tie). *Clin Genet*, 75(1), 98-99.
- Klockars, T., & Pitkaranta, A. (2009). Pediatric tongue-tie division: Indications, techniques and patient satisfaction. *Int J Pediatr Otorhinolaryngol*.
- Khoo, A. K., Dabbas, N., Sudhakaran, N., Ade-Ajai, N., & Patel, S. (2009). Nipple Pain at Presentation Predicts Success of Tongue-Tie Division for Breastfeeding Problems. *Eur J Pediatr Surg*.
- Yeh, M. L. (2008). Outpatient division of tongue-tie without anesthesia in infants and children. *World J Pediatr*, 4(2), 106-8.
- Karabulut, R., Sonmez, K., Turkyilmaz, Z., Demirogullari, B., Ozen, I. O., Bagbanci, B., et al. (2008). Ankyloglossia and effects on breast-feeding, speech problems and mechanical/social issues in children. *B-ENT*, 4(2), 81-85.
- Madlon-Kay, D. J., Ricke, L. A., Baker, N. J., & DeFor, T. A. (2008). Case series of 148 tongue-tied newborn babies evaluated with the assessment tool for lingual frenulum function. *Midwifery*, 24(3), 353-357.
- Martin, M. S., & Schwartz, R. H. (2008). Tackling ankyloglossia in the office. *Contemporary Pediatrics*, 25(1), 59-64.
- Geddes, D. T., Langton, D. B., Gollow, I., Jacobs, L. A., Hartmann, P. E., & Simmer, K. (2008). Frenulotomy for breastfeeding infants with ankyloglossia: effect on milk removal and sucking mechanism as imaged by ultrasound. *Pediatrics*, 122(1), e188-194.
- Arosarena, O. A. (2007). Cleft lip and palate. *Otolaryngol Clin North Am*, 40(1), 27-60, vi.
- Froom, S. R., & Stewart, J. (2007). Novel local anaesthetic analgesic technique for tongue-tie. *Anaesthesia*, 62(1), 97.
- Breward, S. (2006). Tongue tie and breastfeeding: assessing and overcoming the difficulties. *Community Pract*, 79(9), 298-9.
- Amir, L. H. (2006). Breastfeeding--managing 'supply' difficulties. *Aust Fam Physician*, 35(9), 686-689.
- Amir, L. H., James, J. P., & Donath, S. M. (2006). Reliability of the hazelbaker assessment tool for lingual frenulum function. *Int Breastfeed J*, 1(1), 3.
- Dollberg, S., Botzer, E., Grunis, E., & Mimouni, F. B. (2006). Immediate nipple pain relief after frenotomy in breast-fed infants with ankyloglossia: a randomized, prospective study. *J Pediatr Surg*, 41(9), 1598-1600.
- Dunn, P. M. (2006). Tongue-tie and infant feeding. *Arch Dis Child*, 91(12), 1042.
- Hall, D. M., & Renfrew, M. J. (2005). Tongue tie. *Arch Dis Child*, 90(12), 1211-1215.
- Hazelbaker, A. K. (2005). Newborn tongue-tie and breast-feeding. *J Am Board Fam Pract*, 18(4), 326; auth reply 326-7.
- Hillan, R. (2008). Division of tongue tie: wicked and barbaric? *Pract Midwife*, 11(10), 22-25.
- Hogan, M., Westcott, C., & Griffiths, M. (2005). Randomized, controlled trial of division of tongue-tie in infants with feeding problems. *J Paediatr Child Health*, 41(5-6), 246-250.
- Klockars, T. (2007). Familial ankyloglossia (tongue-tie). *Int J Pediatr Otorhinolaryngol*, 71(8), 1321-1324.
- Murphy, J. (2007). *Ankyloglossia and its impact on breastfeeding*. Paper presented at the So Calif LLL.
- Wallace, H., & Clarke, S. (2006). Tongue tie division in infants with breast feeding difficulties. *Int J Pediatr Otorhinolaryngol*, 70(7), 1257-1261.

- Amir, L. H., James, J. P., & Beatty, J. (2005). Review of tongue-tie release at a tertiary maternity hospital. *J Paediatr Child Health*, 41(5-6), 243-245.
- Kupietzky, A., & Botzer, E. (2005). Ankyloglossia in the infant and young child: clinical suggestions for diagnosis and management. *Pediatr Dent*, 27(1), 40-46.
- McBride, C. (2005). Tongue-tie. *J Paediatr Child Health*, 41(5-6), 242.
- Ricke, L. A., Baker, N. J., Madlon-Kay, D. J., & DeFor, T. A. (2005). Newborn tongue-tie: prevalence and effect on breast-feeding. *J Am Board Fam Pract*, 18(1), 1-7.
- Yuskiv, N., Honein, M. A., & Moore, C. A. (2005). Reported multivitamin consumption and the occurrence of multiple congenital anomalies. *American Journal of Medical Genetics Part A*, 136A(1), 1-7.
- Division of ankyloglossia (tongue-tie) for breastfeeding. (2005). Retrieved from <http://www.nice.org.uk/IPG149>
- Ballard, J., Chantry, C., & Howard, C. (2004). Academy of Breastfeeding Medicine Protocol# 11: guidelines for the evaluation and management of neonatal ankyloglossia and its complications in the breastfeeding dyad. [http://www.nice.org.uk/IPG149](#)
- Kotlow, L. A. (2004). Lasers in pediatric dentistry. *Dent Clin North Am*, 48(4), 889-922, vii.
- Brinkmann, S., Reilly, S., & Meara, J. G. (2004). Management of tongue-tie in children: a survey of paediatric surgeons in Australia. *J Paediatr Child Health*, 40(11), 600-605.
- Griffiths, D. M. (2004). Do tongue ties affect breastfeeding? *J Hum Lact*, 20(4), 409-414.
- Wlodawsky, R. N., & Strauss, R. A. (2004). Intraoral laser surgery. *Oral and maxillofacial surgery clinics of North America*, 16(2), 149-163.
- Coryllos, E., Genna, C. W., & Salloum, A. C. (2004). Congenital tongue-tie and its impact on breastfeeding. *American Academy of Pediatrics Newsletter*. (Summer), 1-5.
- Fiorotti, R. C., Bertolini, M. M., Nicola, J. H., & Nicola, E. M. (2004). Early lingual frenectomy assisted by CO₂ laser helps prevention and treatment of functional alterations caused by ankyloglossia. [Evaluation Studies Research Support, Non-U.S. Gov't]. *The International journal of orofacial myology : official publication of the International Association of Orofacial Myology*, 30, 64-71.
- Fitz-Desorger, R. (2003). All tied up. Tongue tie and its implications for breastfeeding. *Pract Midwife*, 6(1), 20-22.
- Agrawal, P., & Raina, V. K. (2003). Tongue-tie: an update. *Indian Pediatr*, 40(5), 404-405.
- Lalakea, M. L., & Messner, A. H. (2003). Ankyloglossia: does it matter? *Pediatr Clin North Am*, 50(2), 381-397.
- Rudolph, C. D., & Link, D. T. (2002). Feeding disorders in infants and children. *Pediatr Clin North Am*, 49(1), 97-112, vi.
- Ballard, J. L., Auer, C. E., & Khoury, J. C. (2002). Ankyloglossia: assessment, incidence, and effect of frenuloplasty on the breastfeeding dyad. *Pediatrics*, 110(5), e63.

Lip-Ties

- Kotlow, L. (2011). Diagnosis and treatment of ankyloglossia and tied maxillary frenum in infants using Er:YAG and 1064 diode lasers. *European archives of paediatric dentistry : official journal of the European Academy of Paediatric Dentistry*, 12(2), 106-112.
- Kotlow, L. A. (2010). The influence of the maxillary frenum on the development and pattern of dental caries on anterior teeth in breastfeeding infants: prevention, diagnosis, and treatment. *Journal of human lactation : official journal of International Lactation Consultant Association*, 26(3), 304-308.
- Boutsi, E. A., & Tatakis, D. N. (2011). Maxillary labial frenum attachment in children. *Int J Paediatr Dent*, 21(4), 284-288. doi: 10.1111/j.1365-263X.2011.01121.x
- Kotlow, L. A. (2004). Oral diagnosis of abnormal frenum attachments in neonates and infants: Evaluation and treatment of the maxillary and lingual frenum using the Erbium: YAG Laser. *Journal of Pediatric Dental Care*, 10(3), 11-14. Available: <http://www.kiddsteeth.com/articles/finaslttfrenarticleoct2004.pdf>
- Griffith, F. (1904). XII. Lip-Tie. *Ann Surg*, 39(3), 433.